# ናይ ኣጠቓኞጣ መምርሒታት

**TIGRINSKA** 


# EASYHALERተዋሂብካ ኔሩ

እዚ በራሪ ወረኞት ንናይ ላዝጣ ወይ ሕዱር ናይ ፑለሙናሪ ምዕፋን ሕጣም (COPD) ንምሕካም Easyhaler ንዝተወሃቡ ሰባት እያ ትምልከት።

## EASYHALER እንታይ እዩ?

Easyhaler ከምእየር ዝትንሬስ ንአዝማን COPDን ሕምማት ዝወሃብ ፓውደር እዩ። . አጠቓችምኡ ቀሊል እንትኸውን ምንም ፕሮፔላታት እውን ኣይጥቀምን። በቲ ናብ ኣፍካ ዝላቱ ናይቲ ኢንሄለር ጫፍ ፔርካ እቲ ፓውደር ናብ ሳምባኻ ምትንፋስ። Easyhaler ከንደይ ዶዝ ከምዝተረፈካ ዘርኢ ናይ ዶዝ ቆፃሪ ኣለዎ።

Easyhaler ምስ ሓሙሽተ ናይ ሕክምና መጣረዒታት ይመፅእ።



ናይ አፍካ ዝላቱ ፕሮቴክተር
(ናይ አበራ ካፕ)
አዚ ካፕ አቲ ኢንሄሰር አከቲቬት
ከይኸውን ይከላኸል።

ንቲ Easyhaler ከይስበር ዘለዎ ናይሓሳዋ ሽፋኑ እንከሎ ወይ ዘየለ ምጥቃም ትኽአል። ከትጥቀመሉ ከለኽ አቲ ኢንሄሰር አብቲ ሽፋን ውሽጠ. ከጸንሕ ምባባር ትኽአል።

ናይ ሓለዋ ሽፋን



# ብ EASYHALER ብሽመይ ዶዝ ምድላውን ምውሳድን ትኽእል

እዞም ዝሕቡ *መምርሒታት* ብፕንቀቐ ኣንብቦም።



- 1. ሕኞኖ
- እታ ፕሮቴክተር (ናይ ኣቦራ ካፕ) ካብቲ ናብ ኣፍካ ዝኣቱ ንቐሎ።
- እቲ ናይ ሓለዋ ሽፋን ኣብቲ መዐሸጊ ዝወሃብ እነንተኾይኑ፣ ነቲ Easyhaler ናቲ ሽፋን ምእታው ትኸእል።



- 2. ክሊክ
- እቲ ናይቲ መድሓኒት ዶዝ ንክትንፍሶ ተዳልዩ ኣሎ ማለት እዩ።



- 3. ንውሽጢ ኣተንፍሶ
- ቀሰረ ኢልካ ንደን ኣተንፍስ።
- እታ ናብ ኣፍካ ትኣቱ ኣካል ናብ ኣፍካ ኣእቲኻ ብከንፈራትካ ኣስጢምካ ሓዞ። በቲ ኢንሄለር ንውሽጢ ብሓይሊ ሰሓብ።
- እቲ ናብ ኣፍካ ዝኣቱ ካብ ኣፍካ ኣውዲኻ ን 5 ደቓይኞ ዝኸውን ትንፋስካ ሓዝ፣ ድሕሪኡ ቀስ ኢልካ ተንፍስ። ኣብ ኣፍካ ንእሽተይ ጥውም ጣዕሚ ምስተሰሙዓካ፣ እቲ ዶዝ ከምዝወሰድካዮ ርግጾኛ ምኻን ትኽአል።
- ልዕሊ ሓደ ዶዝ ተኣዚዝልካ እንተኾይኑ፣ ካብ ስጉምቲ ፣ ጀሚርካ ድገሞ።
- ናይ Beclomet, Salflumix, Bufomix ወይ Giona Easyhaler እንተድኣተጠዊምካ፣ ድሕሪ ዶዝ ምውሳድካ ኣፍካ ጣይ ኄርካ ጎፅጉፆ። እቲ ጣይ ኄደን ትፍኣዮ።
- እታ ፐሮቴክተር (ናይ ኣቦራ ካፐ) ናብቲ ናይ ኣፍካ ዝላቱ ግበሮ። እቲ ናይ ሓሰዋ ሽፋን ዕፀዎ። እንተድኣ ብዘይ ፍላጥ ነቲ Easyhaler ክሊክ ፔርካዮ ኮይንካ፣

እቲ ናብ ኣፍካ ዝኣቱ ኣካሉ ኣብ ኢድካ ወይ ኣብ ጠረቤዛ ብም*ጋጫው እታ ዶዝ ከትወፅእ እሞ ጥር*ሓ ክትከውን <mark>ግበር</mark>።



## <u>እቲ ኢንሄለረይ ባዶ ክተርፍ ከሎ ከመይክፈልጥ ይኽእል?</u>

Easyhaler ከንዴይ ዶዝ ከምዝተረፈካ ዘርኢ ናይ ዶዝ ቆፃሪ ኣለዎ። በቢ ሓሙሽተ ዶዝ ምቹናስ ይጅምር፣ በቢ ነዕ ዶዝ ኣፌላላይ ድማ እቲ ቁፅሪ ይረአ። ናብ o ምስ በፅሐት ነታ ኢንሄለር ብኻሊእ ተከኣአ፣ ዋላ እካ እቲ ፓውደር ኣብታሕቲ ንእሽተይ እንተረኣኻ።





# ናይቲ EASYHALER ኣተሓሕዛን መቐመጢ ቦታን

Bufomix Easyhaler ትቲ ላሚኔት ዎች ተኸራቱ ን 4 ኣዋርሕ ዝኸውን ከፀንሕ ይኸአል አዩ። Salflumix 50/250 ማይከሮግራም ን 1 ወርሒ ከጻንሕ ይኸአል 50/500 ማይከሮግራም ድጣ ን 2 ኣዋርሕ ከጻንሕ ይኸአል። Buventol<sup>©</sup> Giona ን Beclometን Easyhaler ን 6 ኣዋርሕ ከ<del>ኞ</del>መጡ ይኸአሉ።

Easyhaler ኣብ ማእጎላይ ኩነታት ሙቸት ዘለዎ ደረቐ ቦታ ከቐመተ ኣለዎ። ብሽፋን ወይ ብዘይ ሽፋን ምርካብ ይከኣል። አቲ ሽፋን ናይቲ ኢንሄለር ተወሳኺ ሓለዋ *ገ*ይርካ ምፕቃም ይከኣል (ንዝበለፀ ሓበሬታ ኣብቲ ፓኬጅ በራሪ ወረቐት ረአ)።

ምዕፋን ዘዐባስ ናይ ብሮንኮዳይሌተር ሕክምና:



### **BUVENTOL EASYHALER**

Buventol Easyhaler salbutamol ዝሓዝ እዩ፤ ነቲ ብሮንካይ ክልጠፕ ብምባባር ብቐሊሉ ንምትንፋስ ይሕባዝ።

ብቐልጡፍ ዝስርሕ ኮይኑ ካብ ንናይ ኣዝማ ምልክታት ቶሎ ንምሕዋይ ወይ ኣብ ሕዱር ናይ ፕሎሙናሪ ምዕፋን ሕማም ድማ ምትንፋስ ቀሊል ከኸውን ይንብር። ውፅኢቱ ኣብ ውሽጢ ደቓይቐ መዒሎ ን 4-6 ሰዓታት ይጸንሕ።

Buventol Easyhaler ብክልተ ዝተፈላሰዩ ጥንካረታት ዝቐረብ እዩ፤ ብ 100 ማይክሮባራም /ዶዝ ከምኡውን 200 ማይክሮባራም /ዶዝ።

ተኸላኻሊ /ነድሪ ዝኸልክል ሕክምና:



#### GIONA EASYHALER ? BECLOMET EASYHALER ?

Giona Easyhaler budesonide ዝሓዝ እዩ፤ እቲ Beclomet Easyhaler ድማ beclomethasone ዝሓዝ እዩ።

ከልቲአም ኣብ ናይ corticosteroids ዝበሃሉ ዓሴት መድሓኒት ይምደቡ ኣብ ናይ ኣዝማ ናይ መይንተናንስን ምስልኻልን ሕክምና የንልፃል። Giona Easyhaler ን ኣቲ Beclomet Easyhalerን ኣብ ብሮንካይ ነድሪ ይቒንሱን ይከላኸሉን ናይ ኣዝማ ምልክታት ንምዕጋስ ድማ ብሰፊሔ ኣብ ጥቅሚ ከውዕሉ ጻኔሖም፣ ብካልአ አበሃህላ ዋላ ምልክታት እንዳሃለዉኻ ማለት እዩ። ውፅኢቱ ድሕሪ ዝተወሰነ መዓልቲ እዩ ዝረአ፣ ሙሱኣ ውፅኢቱ ድሕሪ ናይ ዝተወሰኑ ስሙናት ሕክምና ምርካብ ይከኣል።

Giona Easyhaler ብሰለስተ ጥንካረ ምርካብ ይከኣል፣ ብ 100 ጣይክሮግራም/ዶዝ፣ 200 ጣይክሮግራም/ዶዝ ከምኡውን 400 ጣይክሮግራም /ዶዝ።

Beclomet Easyhaler ብናይ 200 ማይክሮግራም /ዶዝ ጥንካረ ምርካብ ይከኣል።

ተኸላኻሊ /መዐገሲ ሕክምና:



#### **BUFOMIX EASYHALER**

Bufomix Easyhaler ክልተ ዝተፈላሰየ መድሓኒታት ዝሓዘ እየ: budesonide ን formoterol ን። Budesonide ላብ corticosteroids ዝበሃል ዓሴት መድሓኒት ዝምደብ ኮይኑ ንመይንተናንስ ሕክምና ይጠቅም። ኣብ ሳንባ ምሕባዋን ምቅጣሪን ከይፍጠር ይቐንስን ይከላኸልን። Formoterol ነቲ ብሮንካይ ክልጠዋ ብምባር ብቐሊሉ ከተተንፍስ ይሕዋዝ። ናይቲ formoterol ውዕኢት ብትንፋስካ ምስሰሐብካዮ ኣብ ውሸጢ I-3 ዴቻይቐ ይረአ ድሕሪ ሓዴ ዶዝ ድማ እንተንኢሱ ከሳብ 12 ሰዓታት ዝኸውን ይጸንሕ።

Bufomix Easyhaler ብሰለስተ ዘተፈላለዩ ፕንካራታት ይርከብ budesonide/formoterol:

ናይ ምክልኻል ሕክምና



## SALFLUMIX EASYHALER

Salflumix Easyhaler ከሴተ ዝተፈላሰዩ መድሓኒታት ዝሓዘ እዩ: salmeterol ን fluticasone propionate ን። Fluticasone propionate ትብ ናይ corticosteroids ዝበሃል ዓሌት መድሓኒት ይምደብ ንመከላኸሲ ዕላማ ድማ የንልግል። አብ ሳንባ ምሕባተን ምቅጣዕን ከይፍጠር ይቐንስን ይከላኸልን። Salmeterol ንቲ ብሮንካይ ከልጠጥ ብምባባር ብቐሊሉ ከተተንፍስ ይሕግዝ። ናይቲ salmeterol ውፅኢት ብትንፋስካ ምስስሓብካዮ ኣብ ውሽጢ 1-3 ዴቓይቅ ይረአ ድሕሪ ሓደ ዶዝ ድማ እንተንኢሱ ከሳብ 12 ሰዓታት ዝኸውን ይጸንሕ።

The Salflumix Easyhaler ብክልተ ዝተፈላለዩ ጥንካረታት ምርካብ ይክአል salmeterol/fluticasone propionate: 50/250 ማይክሮግራም ከምኡውን 50/500 ማይክሮግራም።

ኩሉግዘ ዝተወሃብካዮ ናይ ዶክተር ናይ መድሓት ትእዛዝ ተኸተል። ነቲ **ፓኬጅ በራሪ ወረኞተ ብዮንቃቹ አንብቦ** . ዠኾነ ሕቶ እንተሃሊካ ወይ ብዛፅባ ሕክምናና ዘይተረድአካ ነገር እንተልዩ፣ ምስ ዶክተርካ ወይነርስኻ ተዛራረብ። ንዝበለፀ ሓበፊታ www.fass.se ህዝባዊ ረአ።

ዘይትጥቀመሉ መድሃኒት አብደን አውፂኽ አይትደርቢ። ብዛዕባ ከባቢኽ እውን ሕሰብ። ዝተወድኡ መድሓኒታት አብቲ ፋርማሲ ከተረከቦም ትኽእል ኢኽ።

Buventol Easyhaler (salbutamol) Pharmaceutical form: Inhalation powder Active substance: salbutamol. Areas of use: Buventol Easyhaler is an inhaler that contains the active substance salbutamol. Salbutamol works by opening up the airways and making it easier to breathe, Buyentol Easyhaler is used for symptomatic relief of asthma and chronic obstructive pulmonary disease (COPD). Buyentol Easyhaler is used in adults and children aged 6 years and over. Warnings and precautions: Talk to your doctor before using Buventol Easyhaler if you have or have had any of the following conditions; cardiovascular disease, angina, increased thyroid function, diabetes, low levels of potassium in the blood (hypokalaemia). If you have low levels of potassium in the blood (hypokalaemia), this condition can worsen if Buventol Easyhaler is used with diuretics, steroids, or certain other asthma medicines (xanthine derivatives). In such cases, talk to your doctor for advice, Contact your doctor if your asthma worsens or if the Buyentol Fasyhaler becomes less effective. If repeated inhalations are not effective in severe asthma attacks, other treatment is needed. If you are pregnant or breast-feeding, think you may be pregnant, or are planning to have a baby, ask your doctor or pharmacist for advice before using this medicine. No adverse effects on the foetus have been demonstrated when using Buventol Easyhaler during pregnancy. It is unknown whether salbutamol passes into breast milk. You should therefore talk to your doctor before use during breast-feeding. Giona Easyhaler (budesonide) Pharmaceutical form: Inhalation powder Active substance: budesonide. Areas of use: Giona Easyhaler is a medicine that is used to prevent symptoms of asthma. Budesonide works by reducing and preventing swelling and inflammation of the lungs. Warnings and precautions: Talk to your doctor before using Giona Easyhaler if you have pulmonary tuberculosis, untreated bacterial, viral, or fungal infections of the mouth, respiratory tract, or lungs, or if you have severe liver disease. Contact your doctor if you experience blurred vision or other visual disturbances. Rinse your mouth after inhaling your dose to avoid fungal infection of the mouth. Giona Easyhaler is not recommended for children under 6 years. If you are pregnant or breast-feeding, think you may be pregnant, or are planning to have a baby, ask your doctor or pharmacist for advice before using this medicine. It is important for both the foetus and the mother to maintain adequate asthma control during pregnancy. As with other medicines given during pregnancy, the benefits of budesonide treatment for the mother should be weighed against the risks to the foetus. The lowest effective dose of budesonide needed to maintain adequate asthma control should be used. **Beclomet Easyhaler** (beclomethasone) **Pharmaceutical form:** Inhalation powder **Active substance:** beclomethasone, **Areas of use:** Beclomet Easyhaler is a cortisone (corticosteroid) preparation that alleviates inflammation of the lungs. By treating the inflammation, you can prevent asthma symptoms. Warnings and precautions: Contact your doctor if you feel that the Beclomet Easyhaler is becoming less effective, for example if you have more frequent asthma attacks. Your drug treatment may need to be changed. You may experience cold symptoms, eczema, fatigue, headaches, muscle and joint pain, and nausea and vomiting may also occur. If you have a respiratory infection, if you have tuberculosis, or if you have to increase the use of other asthma medication. Talk to your doctor if you experience any of these conditions. Talk to your doctor if you experience constriction or spasms in the airways after using Beclomet Easyhaler. Talk to your doctor if you are pregnant or plan to become pregnant. Your doctor will decide whether you should continue your treatment. Ask your doctor or pharmacist for advice before taking any medicine. **Bufomix Easyhaler** (budesonide/formoterol) **Pharmaceutical form:** Inhalation powder **Active substance:** budesonide/formoterol. **Areas** of use: Bufomix Easyhaler is a medicine for the treatment of asthma in adults and adolescents aged 12-17 years. It is also used to treat the symptoms of Chronic Obstructive Pulmonary Disease (COPD) in adults aged 18 years and older. Warnings and precautions: Talk to your doctor or pharmacist before using Bufomix Easyhaler if you have diabetes, a lung infection, high blood pressure, or if you have ever had heart problems (including an uneven heartbeat, very rapid pulse, narrowing of the arteries, or heart failure), problems with your thyroid or adrenal glands, low levels of potassium in the blood, or severe liver problems. Contact your doctor if you experience blurred vision or other visual disturbances. Rinse your mouth after inhaling your dose to avoid fungal infection of the mouth. If you are pregnant or breast-feeding, think you may be pregnant, or are planning to have a baby, ask your doctor or pharmacist for advice before using this medicine. Do not use Bufomix Easyhaler unless your doctor advises you to do so. If you become pregnant while using Bufomix Easyhaler, do not stop using Bufomix Easyhaler, but contact your doctor immediately. Salflumix Easyhaler (salmeterol/fluticasone propionate) Pharmaceutical form: Inhalation powder Active substance: salmeterol/fluticasone propionate. Areas of use: Your doctor has prescribed Salflumix Easyhaler to prevent breathing problems in Asthma and Chronic Obstructive Pulmonary Disease (COPD). Salflumix Easyhaler (50 micrograms/500 micrograms per dose) reduces the number of flare-ups of COPD. You must use your Salflumix Easyhaler every day as directed by your doctor for it to work best and control your asthma or COPD. Salflumix Easyhaler prevents breathing problems and wheezing. However, Salflumix Easyhaler should not be used to relieve a sudden onset of shortness of breath or wheezing. If this happens, use a fast-acting 'on demand' inhaler, such as salbutamol. Keep your fast-acting inhaler with you at all times. Warnings and precautions: Talk to your doctor before using Salflumix Easyhaler if you have: Heart disease including rapid and irregular heartbeat, increased thyroid function, high blood pressure, diabetes (since Salflumix Easyhaler may increase your blood sugar), decreased blood levels of potassium in the blood, or if you have had tuberculosis (TB), or other infections of the lungs. Contact your doctor if you experience blurred vision or other visual disturbances. If you are pregnant or breast-feeding, think you may be pregnant, or are planning to have a baby, ask your doctor or pharmacist for advice before using this medicine. Responsible company: Orion Pharma AB, www.orionpharma.se Always read the package insert carefully